

Health Questionnaire (NTAF)

Name: _____ Age: _____ Sex: _____ Date: _____

* Please circle the appropriate number "0 - 3" on all questions below. 0 as the least/never to 3 as the most/always.

SECTION A

- Is your memory noticeably declining? 0 1 2 3
- Are you having a hard time remembering names and phone numbers? 0 1 2 3
- Is your ability to focus noticeably declining? 0 1 2 3
- Has it become harder for you to learn things? 0 1 2 3
- How often do you have a hard time remembering your appointments? 0 1 2 3
- Is your temperament getting worse in general? 0 1 2 3
- Are you losing your attention span endurance? 0 1 2 3
- How often do you find yourself down or sad? 0 1 2 3
- How often do you fatigue when driving compared to the past? 0 1 2 3
- How often do you fatigue when reading compared to the past? 0 1 2 3
- How often do you walk into rooms and forget why? 0 1 2 3
- How often do you pick up your cell phone and forget why? 0 1 2 3

SECTION B

- How high is your stress level? 0 1 2 3
- How often do you feel that you have something that must be done? 0 1 2 3
- Do you feel you never have time for yourself? 0 1 2 3
- How often do you feel you are not getting enough sleep or rest? 0 1 2 3
- Do you find it difficult to get regular exercise? 0 1 2 3
- Do you feel uncared for by the people in your life? 0 1 2 3
- Do you feel you are not accomplishing your life's purpose? 0 1 2 3
- Is sharing your problems with someone difficult for you? 0 1 2 3

SECTION C

SECTION C1

- How often do you get irritable, shaky, or have lightheadedness between meals? 0 1 2 3
- How often do you feel energized after eating? 0 1 2 3
- How often do you have difficulty eating large meals in the morning? 0 1 2 3
- How often does your energy level drop in the afternoon? 0 1 2 3
- How often do you crave sugar and sweets in the afternoon? 0 1 2 3
- How often do you wake up in the middle of the night? 0 1 2 3
- How often do you have difficulty concentrating before eating? 0 1 2 3
- How often do you depend on coffee to keep yourself going? 0 1 2 3
- How often do you feel agitated, easily upset, and nervous between meals? 0 1 2 3

SECTION C2

- Do you get fatigued after meals? 0 1 2 3
- Do you crave sugar and sweets after meals? 0 1 2 3
- Do you feel you need stimulants such as coffee after meals? 0 1 2 3
- Do you have difficulty losing weight? 0 1 2 3
- How much larger is your waist girth compared to your hip girth? 0 1 2 3
- How often do you urinate? 0 1 2 3
- Have your thirst and appetite been increased? 0 1 2 3
- Do you have weight gain when under stress? 0 1 2 3
- Do you have difficulty falling asleep? 0 1 2 3

SECTION 1 - S

- Are you losing your pleasure in hobbies and interests? 0 1 2 3
- How often do you feel overwhelmed with ideas to manage? 0 1 2 3
- How often do you have feelings of inner rage (anger)? 0 1 2 3
- How often do you have feelings of paranoia? 0 1 2 3
- How often do you feel sad or down for no reason? 0 1 2 3
- How often do you feel like you are not enjoying life? 0 1 2 3

- How often do you feel you lack artistic appreciation? 0 1 2 3
- How often do you feel depressed in overcast weather? 0 1 2 3
- How much are you losing your enthusiasm for your favorite activities? 0 1 2 3
- How much are you losing enjoyment for your favorite foods? 0 1 2 3
- How much are you losing your enjoyment of friendships and relationships? 0 1 2 3
- How often do you have difficulty falling into deep restful sleep? 0 1 2 3
- How often do you have feelings of dependency on others? 0 1 2 3
- How often do you feel more susceptible to pain? 0 1 2 3
- How often do you have feelings of unprovoked anger? 0 1 2 3
- How much are you losing interest in life? 0 1 2 3

SECTION 2 - D

- How often do you have feelings of hopelessness? 0 1 2 3
- How often do you have self-destructive thoughts? 0 1 2 3
- How often do you have an inability to handle stress? 0 1 2 3
- How often do you have anger and aggression while under stress? 0 1 2 3
- How often do you feel you are not rested even after long hours of sleep? 0 1 2 3
- How often do you prefer to isolate yourself from others? 0 1 2 3
- How often do you have unexplained lack of concern for family and friends? 0 1 2 3
- How easily are you distracted from your tasks? 0 1 2 3
- How often do you have an inability to finish tasks? 0 1 2 3
- How often do you feel the need to consume caffeine to stay alert? 0 1 2 3
- How often do you feel your libido has been decreased? 0 1 2 3
- How often do you lose your temper for minor reasons? 0 1 2 3
- How often do you have feelings of worthlessness? 0 1 2 3

SECTION 3 - G

- How often do you feel anxious or panic for no reason? 0 1 2 3
- How often do you have feelings of dread or impending doom? 0 1 2 3
- How often do you feel knots in your stomach? 0 1 2 3
- How often do you have feelings of being overwhelmed for no reason? 0 1 2 3
- How often do you have feelings of guilt about everyday decisions? 0 1 2 3
- How often does your mind feel restless? 0 1 2 3
- How difficult is it to turn your mind off when you want to relax? 0 1 2 3
- How often do you have disorganized attention? 0 1 2 3
- How often do you worry about things you were not worried about before? 0 1 2 3
- How often do you have feelings of inner tension and inner excitability? 0 1 2 3

SECTION 4 - ACH

- Do you feel your visual memory (shapes & images) is decreased? 0 1 2 3
- Do you feel your verbal memory is decreased? 0 1 2 3
- Do you have memory lapses? 0 1 2 3
- Has your creativity been decreased? 0 1 2 3
- Has your comprehension been diminished? 0 1 2 3
- Do you have difficulty calculating numbers? 0 1 2 3
- Do you have difficulty recognizing objects & faces? 0 1 2 3
- Do you feel like your opinion about yourself has changed? 0 1 2 3
- Are you experiencing excessive urination? 0 1 2 3
- Are you experiencing slower mental response? 0 1 2 3

Medication History*

Please circle any of the following medication you have been or are currently taking.

Acetylcholine Receptor Antagonist – Antimuscarinic Agents

Atropine, Ipratropium, Scopolamine, Tiotropium

Acetylcholine Receptor Antagonist - Ganglionic Blockers

Mecamylamine, Hexamethonium, Nicotine (high doses), Trimethaphan

Acetylcholinesterase Reactivators

Pralidoxime

Acetylcholine Receptor Antagonist - Neuromuscular Blockers

Atracurium, Cisatracurium, Doxacurium, Metocurine, Mivacurium, Pancuronium, Rocuronium, Succinylcholine, Tubocurarine, Vecuronium, Hemicholinium

Agonist Modulator of GABA Receptor (benzodiazepines)

Xanax, Lexotanil, Lexotan, Librium, Klonopin, Valium, ProSom, Rohypnol, Dalmane, Ativan, Loramet, Sedoxil, Dormicum, Megadon, Serax, Restoril, Halcion

Agonist Modulator of GABA Receptors (nonbenzodiazepines)

Ambien, Sonata, Lunesta, Imovane

Cholinesterase Inhibitors (irreversible)

Echotiophate, Isoflurophate, Organophosphate Insecticides, Organophosphate-containing nerve agents

Cholinesterase Inhibitors (reversible)

Donepezil, Galatamine, Rivastigmine, Tacrine, THC, Edrophonium, Neostigmine, Physostigmine, Pyridostigmine, Carbamate Insecticides

Dopamine Reuptake Inhibitors

Wellbutrin (Bupropion)

Dopamine Receptor Agonists

Mirapex, Sifrol, Requip

D2 Dopamine Receptor Blockers (antipsychotics)

Thorazine, Prolixin, Trilafon, Compazine, Mellaril, Stelazine, Vesprin, Nozinan, Depixol, Navane, Fluanxol, Clopixol, Acuphase, Haldol, Orap, Clozaril, Zyprexa, Zydis, Seroquel, Geodon, Solian, Invega, Abilify

GABA Antagonist Competitive binder

Flumazenil

Monoamine Oxidase Inhibitors (MAOI)

Marplan, Aurorix, Manerix, Moclodura, Nardil, Adlegiine, Elepryl, Azilect, Marsilid, Iprozid, Ipronid, Rivivol, Popilniazida, Zyvox, Zyvoxid

Noradrenergic and Specific Sertonegic Antidepressants (NaSSaa)

Remeron, Zispin, Avanza, Norset, Remergil, Axit

Selective Serotonin Reuptake Inhibitors

Paxil, Zoloft, Prozac, Celexa, Lexapro, Luvox, Cipramil, Emocal, Seropram, Cipralext, Esteria, Fontex, Seromex, Seronil, Sarafem, Fluctin, Faverin, Seroxat, Aropax, Deroxat, Rextin, Paroxat, Lustral, Serlain, Dapoxetine

Selective Serotonin Reuptake Enhancers

Stablon, Coaxil, Tatinol

Serotonin-Norepinephrine Reuptake Inhibitors (SNRIs)

Effexor, Pristiq, Meridia, Serzone, Dalcipran, Despiramin, Duloxetine

Tricyclic Antidepressants (TCAs)

Elavil, Endep, Tryptanol, Trepiline, Asendin, Asendis, Defanyl, Demolox, Moxadil, Anafranil, Norpramin, Pertofrane, Prothiaden, Adapin, Sinequan, Tofranil, Janamine, Gamamil, Aventyl, Pamelor, Opipramol, Vivactil, Rhotrimine, Surmontil

*Please refer to prescribing physician for nutritional interactions with any medications you may be taking.

Health Questionnaire

Neurotransmitter Assessment Form - (NTAF) Nutritional Key

SECTION A - NUTRITIONAL SUPPORT FOR GENERAL BRAIN FUNCTION

BRAIN-E™ (K53) -Take 55 drops (approximately 2 1/2 full droppers) once a day, preferably with meals.

NEURO2® (K45) -Take 1-3 capsules, 3 times a day.

NEUROFLAM® (K46) -Take 1-3 capsules, 3 times a day.

NEURO-PTX® (K47) -Take 1-3 capsules, 3 times a day.

**please also refer to Metabolic Assessment Form (MAF)*

SECTION B - GENERAL BRAIN FUNCTION/STRESS

ADAPTOCRINE®(K02) - 2-3 capsules, 3 times a day.

ADRENACALM™ (K16) - Apply as directed, 2-3 times per day.

SECTION C - SUGAR BALANCE

SECTION C1: NUTRITIONAL SUPPORT FOR BLOOD SUGAR HEALTH

**please also refer to Metabolic Assessment Form (MAF)*

PROGLYCO-SP™ (K13) -Take 1-2 capsules, 3 times per day.

SUPER EFA COMPLEX™ (K08) -1-2 tablespoons, 3 times per day.

ADRENASTIM™ (K15)- Apply as directed, morning and noon.

ADAPTOCRINE® (K02) - 2-3 capsules, 3 times a day.

SECTION C2: NUTRITIONAL SUPPORT DURING INSULIN RESISTANCE

GLYSEN® (K01) - 2-4 capsules, 3 times a day.

OMEGACo3™ (K07) - 1-2 tablespoons, 2-3 times per day.

ADRENACALM™ (K16) - Apply as directed, 2-3 times per day.

ADAPTOCRINE® (K02) - 2-3 capsules, 3 times per day.

PROTOGLYSEN™ (K28) - 2 capsules, 3 times per day.

FIBROMIN™ (K25) - 2 capsules, 3 times per day. For support during diabetes, add OxiCell®. (K22) to support sugar balance.

SECTION 1 - SEROTONIN NUTRITIONAL SUPPORT

SEROTONE® ACTIVE (K38) -Take 1-2 capsules a day.

NEUROTRANS® ACTIVE (K42) -Take 1-2 sprays, 1-3 times a day.

SECTION 2 - DOPAMINE NUTRITIONAL SUPPORT

DOPATONE® ACTIVE (K41) - Take 1-3 capsules a day.

NEUROTRANS® ACTIVE (K42) - Take 1-2 sprays, 1-3 times a day.

SECTION 3 - GABA NUTRITIONAL SUPPORT

GABATONE® ACTIVE (K39) - Take 1-2 capsules, 3 times a day.

NEUROTRANS® ACTIVE (K42) - Take 1-2 sprays, 1-3 times a day.

SECTION 4- ACETYLCHOLINE SUPPORT FOR NUTRITIONAL SUPPORT

ACETYL-CH™ ACTIVE (K40) -Take 1-2 capsules, 3 times a day.

NEUROTRANS™ ACTIVE (K42) - Take 1-2 sprays, 1-3 times a day.